CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION OFFICE OF THE STATE FIRE MARSHAL

FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No: 4320-0976:101 Page 1 of 1

Safety Padding (Wall/Floor) CATEGORY:

LISTEE: Marathon Engineering, PO Box 310, Mountain Ranch, CA 95246

Contact: Bill Neider (209) 754-5121 Fax (209) 754-5358

DESIGN: Model Gold Medal. 4x8 panels factory fabricated of 7/16" waferboard or oriented strand

> board (OSB) with 2" polyurethane low smoke foam padding and a covering of nominal 1/8" neoprene top cover. The neoprene is to be bonded to the polyurethane padding in nominal 38" x 38" sections using Sterling Plastics P-14 contact cement. Seams in the neoprene cover to be sealed with Sherwin-Williams C-775 151-0601 Latex Caulk. Thickness of completed panels may range from 7/8" - 1-1/8". Refer to listee's data sheet for additional

detailed product description and operational considerations.

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes & ordinances

and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name or manufacturer's identification and CSFM label on each panel.

APPROVAL: Listed as safety padding for use as a resilient floor and wall panel in detention cells and

rooms when applied to required fire-rated construction. Authority having jurisdiction should

be consulted prior to installation.

NOTE: 1. Physical characteristics of resiliency, serviceability and general performance were

not examined as part of this listing.

2. Formerly 2160-0976:101

11-09-92



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

JUNE 4, 2002 Date Issued: Listing Expires June 30, 2003

DIANE K. AREND, Senior Deputy Authorized By:

Program Manager